

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 26/06/2014 Revision date: 06/03/2024 Supersedes version of: 09/01/2024 Version: 5.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product form	: Mixture
Product name	: SOLUCLEAN ALL PURPOSE CLEANER - MANGO & PEONY
UFI	: W6A0-J0TR-A008-ST8V
Product code	: SCWS750APP
Product group	: End product
1.2 Relevant identified uses	of the substance or mixture and uses advised against

## 1.2.1. Relevant identified uses

## Main use category

: Professional use, Consumer use

- Use of the substance/mixture Function or use category
- : Cleaning/washing agents and additives
- : Cleaning/washing agents and additives

## 1.2.2. Uses advised against

No additional information available

## **1.3. Details of the supplier of the safety data sheet**

Solupak Limited
California Drive
WF10 5QH Castleford, West Yorkshire
UK
T +44 (0)1924 565 120
sales@solupak.com, www.solupak.com

## 1.4. Emergency telephone number

Emergency number

: +44 (0)1924 565 120

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008	[CLP]
Serious eye damage/eye irritation, Category 1	H318
Specific target organ toxicity – Single exposure, Category 3,	H335
Respiratory tract irritation	

Full text of H- and EUH-statements: see section 16

## Adverse physicochemical, human health and environmental effects

May cause respiratory irritation. Causes serious eye damage.

## 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	GHS05 GHS07
Signal word (CLP)	: Danger
Contains	: REACTION PRODUCT OF BENZENESULFONIC ACID, 4-C10-13-SEC-ALKYL DERIVS. AND BENZENESULFONIC ACID, 4-METHYL- AND SODIUM HYDROXIDE; citric acid
Hazard statements (CLP)	: H318 - Causes serious eye damage. H335 - May cause respiratory irritation.
Precautionary statements (CLP)	<ul> <li>P273 - Avoid release to the environment.</li> <li>P302+P352 - IF ON SKIN: Wash with plenty of water.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P312 - Call a POISON CENTER if you feel unwell.</li> <li>P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.</li> <li>P102 - Keep out of reach of children.</li> </ul>

## 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

## Not applicable

## 3.2. Mixtures

5.2. WIXTURES			
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
SODIUM CARBONATE	CAS-No.: 497-19-8 EC-No.: 207-838-8 EC Index-No.: 011-005-00-2 REACH-no: 01-2119485498- 19	10 – 30	Eye Irrit. 2, H319
CITRIC ACID ANHYDROUS POWDER	CAS-No.: 77-92-9 EC-No.: 201-069-1 EC Index-No.: 607-750-00-3 REACH-no: 01-2119457026- 42	10 – 30	Eye Irrit. 2, H319 STOT SE 3, H335
REACTION PRODUCT OF BENZENESULFONIC ACID, 4-C10-13-SEC-ALKYL DERIVS. AND BENZENESULFONIC ACID, 4-METHYL- AND SODIUM HYDROXIDE	CAS-No.: - EC-No.: 932-051-8 REACH-no: 01-2119565112- 48	1 – 10	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
ETHOXYLATED ALCOHOL	CAS-No.: Proprietary	1.5 – 2.1	Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: Wash skin with plenty of water.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after eye contact First-aid measures after ingestion	<ul> <li>Get medical advice/attention. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.</li> <li>Rinse mouth out with water. Do not induce vomiting. Drink plenty of water. Call a poison center or a doctor if you feel unwell.</li> </ul>
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects after inhalation Symptoms/effects after eye contact	<ul><li>May cause respiratory irritation.</li><li>Serious damage to eyes.</li></ul>

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam.
5.2. Special hazards arising from the subs	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective e	equipment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for contain	nent and cleaning up	
Methods for cleaning up Other information	<ul><li>Mechanically recover the product.</li><li>Dispose of materials or solid residues at an authorized site.</li></ul>	
6.4. Reference to other sections		

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Packaging materials Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.Product must only be kept in the original packaging.

7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

## Appropriate engineering controls:

Ensure good ventilation of the work station.

## 8.2.2. Personal protection equipment

## 8.2.2.1. Eye and face protection

**Eye protection:** Not required for normal conditions of use

#### 8.2.2.2. Skin protection

Skin and body protection: Not required for normal conditions of use

Hand protection: Not required for normal conditions of use

#### 8.2.2.3. Respiratory protection

Respiratory protection: Not required for normal conditions of use

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

## **Environmental exposure controls:** Avoid release to the environment.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties		
Odour threshold Melting point Freezing point Boiling point	<ul> <li>Not available</li> <li>No data available.</li> <li>Not applicable</li> <li>Not available</li> </ul>	
Flammability Explosive properties Lower explosion limit Upper explosion limit	<ul> <li>Non flammable.</li> <li>Not explosive.</li> <li>Not applicable</li> <li>Not applicable</li> </ul>	
Flash point Auto-ignition temperature Decomposition temperature pH	<ul> <li>Not applicable</li> <li>No data available.</li> <li>Not available</li> <li>6 – 8 5% SOLUTION</li> </ul>	
oH solution Viscosity, kinematic Solubility Partition coefficient n-octanol/water (Log Kow)	<ul> <li>Not available</li> <li>Not applicable</li> <li>Soluble.</li> <li>Not available</li> <li>Not available</li> </ul>	
√apour pressure √apour pressure at 50°C Density Relative density Relative vapour density at 20°C	<ul> <li>Not available</li> <li>Not available</li> <li>Not available</li> <li>~1.00</li> <li>No data available.</li> </ul>	
Particle size	: Not available	

9.2. Other information

## 9.2.1. Information with regard to physical hazard classes

No additional information available

## 9.2.2. Other safety characteristics

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## **10.2. Chemical stability**

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

**10.4. Conditions to avoid** 

None under recommended storage and handling conditions (see section 7).

**10.5. Incompatible materials** 

No additional information available

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008         Acute toxicy (girama)       : Not classified         Acute toxicy (girama)       : Not classified         SODIUM CARBONATE (497-19-8)       2800 mg/kg bodyweight Animal: rat         LD50 oral rat       > 2000 mg/kg bodyweight Animal: rat         LD50 oral rat       > 2000 mg/kg bodyweight Animal: rat         DS0 oral rat       > 2000 mg/kg bodyweight Animal: rat         DS0 oral rat       > 2000 mg/kg bodyweight Animal: rat         DS0 oral rat       > 2000 mg/kg bodyweight Animal: rat         DS0 oral rat       > 2000 mg/kg bodyweight Animal: rat         CHTRIC ACID ANHYDROUS POWDER (77-92-9)          LD50 oral       5400 mg/kg bodyweight Animal: rat       Guideline: OECD Guideline 402 (Acute Dermal Toxichly), Remarks on results: other:         Stn corresion/ritialon       : Not classified       : Not classified         yH       = 11.6 Concentration: (+)0,1 other:         Sotious eye damage/ritialton       : Cuices serious eye damage, p/t 6 = 8 5% SOLUTION         Sotious eye damage/ritialton       : Not classified         Curringe exposure	SECTION 11: Toxicological information	
Acute toxicity (idemail) Acute toxicity (idemail) Acute toxicity (idemail) Acute toxicity (idemail rabit) SODIUM CARBONATE (497-19-8) LD50 oral rat REACTION PRODUCT OF BENZENESULFONIC ACID, 4-C10-13-SEC-ALKYL DERIVS, AND BENZENESULFONIC ACID, 4- METHYL AND SODIUM HYDROXIDE (- LD50 oral rat LD50 dormal rat SODIUM CARBONATE (497-19-8) LD50 oral rat CITRIC ACID ANHYDROUS POWDER (77-92-9) LD50 oral LD50 dormal rat S400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Brw. Acit. 3109 - 3503 LD50 dormal rat S400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Brw. Acit. 3109 - 3503 LD50 dormal rat S400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Brw. Acit. 3109 - 3503 LD50 dormal rat S400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Brw. Acit. 3109 - 3503 LD50 dormal rat S400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Brw. Acit. 3109 - 400 LD50 dormal rat S400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Brw. Acit. 3500 S001UM CARBONATE (497-19-8) PH PH = 11.6 Concentration: (=0.1 other: Serious eye damage. PH PH = 11.6 Concentration: (=0.1 other: Serious eye damage. PH PH PH = 11.6 Concentration: (=0.1 other: Serious eye damage. PH PH PH = 11.6 Concentration: (=0.1 other: Serious eye damage. PH PH PH PH PH PH PH PH PH PH	11.1. Information on hazard classes as	defined in Regulation (EC) No 1272/2008
LD50 oral rat       2800 mg/kg bodyweight Animal: rat         LD50 dermal rabbit       > 2000 mg/kg bodyweight Animal: rat         REACTION PRODUCT OF BENZENESULFONIC ACID, 4-C10-13-SEC-ALKYL DERIVS. AND BENZENESULFONIC ACID, 4-METHYL- AND SODIUM HYDROXIDE (-         LD50 oral rat       2 3346 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), 95% CL: 3196 - 3503         LD50 dermal rat       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 85% CL: 3196 - 3503         LD50 oral rat       \$ 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other.         CITRIC ACID ANHYDROUS POWDER (77-92-9)       LD50 oral       \$ 2000 mg/kg bodyweight Animal: mouse, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other.         LD50 dermal rat       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other.         Soft corresion/irritation       : Not classified pet 6 - 85%, SOLUTION         SODUM CARBONATE (497-19-8)       # 11.6 Concentration: (*0.1 other:         Serious eye damage/irritation       : 11.6 Concentration: (*0.1 other:         Respiratory risk sensitisation       : Not classified         Germ cell mutagenicity       : Not classified         Germ cell mutagenicity       : Not classified         STOT-ingle exposure       : May cause respiratory iritation.	Acute toxicity (dermal)	: Not classified
LD50 dermal rabbit       > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:         REACTION PRODUCT OF BENZENESULFONIC ACID, 4-C10-13-SEC-ALKYL DERIVS. AND BENZENESULFONIC ACID, 4-METHYL- AND SODIUM HYDROXIDE (-         LD50 deral rat       2 3346 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), 85% CL: 3166 - 3503         LD50 dermal rat       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 85% CL: 3166 - 3503         LD50 dermal rat       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 86% acutes: other:         CITRIC ACID ANHYDROUS POWDER (77-92-9)       S400 mg/kg bodyweight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 86% acutes: other:, 95% cL: 4500 - 6400         LD50 dermal rat       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)         Skin corrosion/irritation       Not classified Toxicity)         SoDiUM CARBONATE (497-19-8)       = 11.6 Concentration: (=)0,1 other:         PH       = 11.6 Concentration: (=)0,1 other:         Respiratory or skin sensitisation       Not classified         Germ call mutagenicity       Not classified         Respiratory or skin sensitisation       Not classified         Respiratory or skin sensitisation       Not classified         Respiratory or skin sensitisation       Not classified         Rot classified       Carcinogenicity <td>SODIUM CARBONATE (497-19-8)</td> <td></td>	SODIUM CARBONATE (497-19-8)	
REACTION PRODUCT OF BENZENESULFONIC ACID, 4-C10-13-SEC-ALKYL DERIVS. AND BENZENESULFONIC ACID, 4- METHYL- AND SODIUM HYDROXIDE (-         LD50 oral rat       > 3346 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), 85% CL: 3196 - 3503         LD50 dermal rat       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:         CITRIC ACID ANHYDROUS POWDER (77-92-9)         LD50 dermal rat       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:         CITRIC ACID ANHYDROUS POWDER (77-92-9)         LD50 dermal rat       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:         Stin corresion/irritation       : Not classified pH = 10.6 Concentration: (=0),1 other:         Serious eye damage/irritation       : Causes serious eye damage. pH = 11.6 Concentration: (=0),1 other:         Respiratory or skin sensitisation       : Not classified         Carcinogenicity       : N	LD50 oral rat	2800 mg/kg bodyweight Animal: rat
METHYL- AND SODIUM HYDROXIDE (-           LD50 oral rat         2 346 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), 85% CL: 3196 - 3603           LD50 dermal rat         > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:           CITRIC ACID ANHYDROUS POWDER (77-92-9)            LD50 dermal rat         > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:           CJTRIC ACID ANHYDROUS POWDER (77-92-9)            LD50 dermal rat         > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity). Remarks on results: other:. 95%; CL: 4500 - 6400           LD50 dermal rat         > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)           Skin corrosion/irritation         : Not classified pH 6 - 8 5% SOLUTION           SODIUM CARBONATE (497-19-8)            pH         = 11.6 Concentration: (=0,1 other:           Respiratory or skin sensitisation         : Not classified Germ cell mutagenicity           pH         = 11.6 Concentration: (=0,1 other:           Reproductive toxitity         : Not classified           Carcinogenicity         : Not classified           Carcinogenicity         : Not classified           Carcinogenicity         : Not classified	LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:
Toxicity), 95% CL: 3196 - 3503         LD50 dermal rat       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:         CITRIC ACID ANHYDROUS POWDER (77-92-9)         LD50 oral       5400 mg/kg bodyweight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:, 95% CL: 4500 - 6400         LD50 dermal rat       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)         Skin corrosion/irritation       : Not classified pH: 6 - 8 5% SOLUTION         SODIUM CARBONATE (497-19-8)       # 11.6 Concentration: (=)0,1 other:         PH       = 11.6 Concentration: (=)0,1 other:         Serious eye damage/irritation       : Causes serious eye damage. pH: 6 - 8 5% SOLUTION         SODIUM CARBONATE (497-19-8)       # 11.6 Concentration: (=)0,1 other:         Respiratory or skin sensitisation       : Not classified         Gern cell mutagenicity       : Not classified         Gern cell mutagenicity       : Not classified         Gern cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         STOT-single exposure       May cause respiratory irritation.         STOT-single exposure       : Not classified         Carcinogenicity       : Not classified         CiTRIC ACID ANHYDROUS POWDER (77-92-9)       STOT-s		
Toxicity). Remarks on results: other:         CITRIC ACID ANHYDROUS POWDER (77-92-9)         LD50 oral       6400 mg/kg bodyweight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity). Remarks on results: other:, 95% CL: 4500 - 6400         LD50 dermal rat       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)         Skin corrosion/irritation       : Not classified pri: 6 - 8 5% SOLUTION         SolUM CARBONATE (497-19-8)         pH       = 11.6 Concentration: (=)0,1 other:         Serious eye damage/irritation         : Causes serious eye damage.         pH: 6 - 8 5% SOLUTION         SolUM CARBONATE (497-19-8)         pH       = 11.6 Concentration: (=)0,1 other:         Serious eye damage/irritation         : Causes serious eye damage.         pH: 6 - 8 5% SOLUTION         SODUM CARBONATE (497-19-8)         pH       = 11.6 Concentration: (=)0,1 other:         Respiratory or skin sensitisation         : Not classified         Carcinogenicity         : Not classified         Carcinogenicity         : Not classified         Carcinogenicity         : Not classifi	LD50 oral rat	
LD50 oral       5400 mg/kg bodyweight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:, 95% CL: 4500 - 6400         LD50 dermal rat       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)         Skin corrosion/irritation       : Not classified pH: 6 - 8 5% SOLUTION         SODIUM CARBONATE (497-19-8)       = 11.6 Concentration: (=)0,1 other:         Serious eye damage/irritation       : Causes serious eye damage. pH: 6 - 8 5% SOLUTION         SODIUM CARBONATE (497-19-8)       = 11.6 Concentration: (=)0,1 other:         Respiratory or skin sensitisation       : Not classified         Germ cell mutagenicity       : Not classified         Germ cell mutagenicity       : Not classified         STOT-single exposure       May cause respiratory irritation.         CTRIC ACID ANHYDROUS POWDER (77-92-9)       STOT-single exposure         STOT-repeated exposure       : Not classified         CTRIC ACID ANHYDROUS POWDER (77-92-9)         LOAEL (oral, rat, 90 days)       8000 mg/kg bodyweight Animal: rat         NoAEL (oral, rat, 90 days)       8000 mg/kg bodyweight Animal: rat         Aspiration hazard       : Not classified         SOLUCLEAN ALL PURPOSE CLEANER - MANGO & PEONY         Viscosity, kinematic       Not applicable	LD50 dermal rat	
Toxicity), Remarks on results: other., 95% CL: 4500 - 6400         LD50 dermal rat       > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)         Skin corrosion/irritation       : Not classified pH: 6 - 8 5% SOLUTION         SODIUM CARBONATE (497-19-8)       # 11.6 Concentration: (=)0,1 other:         PH       = 11.6 Concentration: (=)0,1 other:         Serious eye damage/irritation       : Causes serious eye damage. pH: 6 - 8 5% SOLUTION         SODIUM CARBONATE (497-19-8)       # 11.6 Concentration: (=)0,1 other:         Respiratory or skin sensitisation       : Not classified         Gern cell mutagenicity       : Not classified         Gern cell mutagenicity       : Not classified         STOT-single exposure       : May cause respiratory irritation.         STOT-single exposure       : May cause respiratory irritation.         STOT-single exposure       : Not classified         CITRIC ACID ANHYDROUS POWDER (77-92-9)       IOAEL (oral, rat, 90 days)         LOAEL (oral, rat, 90 days)       8000 mg/kg bodyweight Animal: rat         NOAEL (oral, rat, 90 days)       4000 mg/kg bodyweight Animal: rat         Aspiration hazard       : Not classified         SOLUTION       SOULTION	CITRIC ACID ANHYDROUS POWDER (	77-92-9)
Toxicity)       Toxicity)         Skin corrosion/irritation       : Not classified pH: 6 - 8 5% SOLUTION         SODIUM CARBONATE (497-19-8)       = 11.6 Concentration: (=)0,1 other:         Serious eye damage/irritation       : Causes serious eye damage. pH: 6 - 8 5% SOLUTION         SODIUM CARBONATE (497-19-8)       = 11.6 Concentration: (=)0,1 other:         Respiratory or skin sensitisation       : Not classified         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Reproductive toxicity       : Not classified         STOT-single exposure       : May cause respiratory irritation.         CITRIC ACID ANHYDROUS POWDER (77-92-9)         STOT-single exposure       : Not classified         CITRIC ACID ANHYDROUS POWDER (77-92-9)         LOAEL (oral, rat, 90 days)       8000 mg/kg bodyweight Animal: rat         NOAEL (oral, rat, 90 days)       4000 mg/kg bodyweight Animal: rat         Aspiration hazard       : Not classified         SOLUCLEAN ALL PURPOSE CLEANER - MANGO & PEONY       Viscosity, kinematic         Viscosity, kinematic       Not applicable	LD50 oral	
pH: 6 – 8 5% SOLUTION         SODIUM CARBONATE (497-19-8)         pH       = 11.6 Concentration: (=)0,1 other:         Serious eye damage. pH: 6 – 8 5% SOLUTION         SODIUM CARBONATE (497-19-8)         pH       = 11.6 Concentration: (=)0,1 other:         Respiratory or skin sensitisation         IN to classified         Germ cell mutagenicity         IN to classified         Carcinogenicity         IN to classified         Carcinogenicity         IN to classified         Carcinogenicity         IN to classified         STOT-single exposure         IMay cause respiratory irritation.         CITRIC ACID ANHYDROUS POWDER (77-92-9)         STOT-repeated exposure         IN to classified         CITRIC ACID ANHYDROUS POWDER (77-92-9)         LOAEL (oral, rat, 90 days)         80000 mg/kg bodyweight Animal: rat         Not classified         CITRIC ACID ANHYDROUS POWDER (77-92-9)         LOAEL (oral, rat, 90 days)         4000 mg/kg bodyweight Animal: rat	LD50 dermal rat	
pH       * 11.6 Concentration: (*)0,1 other:         Serious eye damage/irritation       : Causes serious eye damage. pH: 6 - 8 5% SOLUTION         SODIUM CARBONATE (497-19-8)          pH       * 11.6 Concentration: (*)0,1 other:         Respiratory or skin sensitisation       : Not classified         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Stort storige exposure       : May cause respiratory irritation.         CITRIC ACID ANHYDROUS POWDER (77-92-9)         STOT-single exposure       : Not classified         CITRIC ACID ANHYDROUS POWDER (77-92-9)         LOAEL (oral, rat, 90 days)       8000 mg/kg bodyweight Animal: rat         NOAEL (oral, rat, 90 days)       8000 mg/kg bodyweight Animal: rat         NOAEL (oral, rat, 90 days)       4000 mg/kg bodyweight Animal: rat         Aspiration hazard       : Not classified         SOLUCLEAN ALL PURPOSE CLEANER - MANGO & PEONY         Viscosity, kinematic       Not applicable         SOLUCLEAN ALL PURPOSE CLEANER - MANGO & PEONY	Skin corrosion/irritation	
Serious eye damage/irritation       : Causes serious eye damage. pH: 6 - 8 5% SOLUTION         SODIUM CARBONATE (497-19-8)         pH       ≈ 11.6 Concentration: (≈)0,1 other:         Respiratory or skin sensitisation       : Not classified         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Reproductive toxicity       : Not classified         STOT-single exposure       May cause respiratory irritation.         CITRIC ACID ANHYDROUS POWDER (77-92-9)         STOT-single exposure       : Not classified         CITRIC ACID ANHYDROUS POWDER (77-92-9)         LOAEL (oral, rat, 90 days)       8000 mg/kg bodyweight Animal: rat         NOAEL (oral, rat, 90 days)       4000 mg/kg bodyweight Animal: rat         Aspiration hazard       : Not classified         SOLUCLEAN ALL PURPOSE CLEANER - MANGO & PEONY         Viscosity, kinematic       Not applicable	SODIUM CARBONATE (497-19-8)	
pH: 6 – 8 5% SOLUTION         SODIUM CARBONATE (497-19-8)         pH       ≈ 11.6 Concentration: (≈)0,1 other:         Respiratory or skin sensitisation       : Not classified         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Reproductive toxicity       : Not classified         STOT-single exposure       : May cause respiratory irritation.         CITRIC ACID ANHYDROUS POWDER (77-92-9)         STOT-single exposure       : Not classified         STOT-repeated exposure       : Not classified         CITRIC ACID ANHYDROUS POWDER (77-92-9)         LOAEL (oral, rat, 90 days)       8000 mg/kg bodyweight Animal: rat         NOAEL (oral, rat, 90 days)       4000 mg/kg bodyweight Animal: rat         Aspiration hazard       : Not classified         SOLUCLEAN ALL PURPOSE CLEANER - MANGO & PEONY         Viscosity, kinematic       Not applicable	рН	≈ 11.6 Concentration: (≈)0,1 other:
pH       ≈ 11.6 Concentration: (≈)0,1 other:         Respiratory or skin sensitisation       : Not classified         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Reproductive toxicity       : Not classified         STOT-single exposure       : May cause respiratory irritation.         CITRIC ACID ANHYDROUS POWDER (77-92-9)         STOT-single exposure       : May cause respiratory irritation.         CITRIC ACID ANHYDROUS POWDER (77-92-9)         STOT-repeated exposure       : Not classified         CITRIC ACID ANHYDROUS POWDER (77-92-9)         LOAEL (oral, rat, 90 days)       8000 mg/kg bodyweight Animal: rat         NOAEL (oral, rat, 90 days)       8000 mg/kg bodyweight Animal: rat         Aspiration hazard       : Not classified         SOLUCLEAN ALL PURPOSE CLEANER - MANGO & PEONY         Viscosity, kinematic       Not applicable	Serious eye damage/irritation	, ,
Respiratory or skin sensitisation       : Not classified         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Reproductive toxicity       : Not classified         STOT-single exposure       : May cause respiratory irritation.         CITRIC ACID ANHYDROUS POWDER (77-92-9)         STOT-single exposure       : May cause respiratory irritation.         STOT-repeated exposure       : Not classified         CITRIC ACID ANHYDROUS POWDER (77-92-9)         LOAEL (oral, rat, 90 days)       8000 mg/kg bodyweight Animal: rat         NOAEL (oral, rat, 90 days)       4000 mg/kg bodyweight Animal: rat         Aspiration hazard       : Not classified         SOLUCLEAN ALL PURPOSE CLEANER - MANGO & PEONY         Viscosity, kinematic       Not applicable	SODIUM CARBONATE (497-19-8)	
Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Reproductive toxicity       : Not classified         STOT-single exposure       : May cause respiratory irritation.         CITRIC ACID ANHYDROUS POWDER (77-92-9)         STOT-single exposure       May cause respiratory irritation.         STOT-single exposure       : Not classified         STOT-repeated exposure       : Not classified         CITRIC ACID ANHYDROUS POWDER (77-92-9)         LOAEL (oral, rat, 90 days)       8000 mg/kg bodyweight Animal: rat         NOAEL (oral, rat, 90 days)       4000 mg/kg bodyweight Animal: rat         Aspiration hazard       : Not classified         SOLUCLEAN ALL PURPOSE CLEANER - MANGO & PEONY         Viscosity, kinematic       Not applicable	рН	≈ 11.6 Concentration: (≈)0,1 other:
Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : May cause respiratory irritation. CITRIC ACID ANHYDROUS POWDER (77-92-9) STOT-single exposure May cause respiratory irritation. STOT-repeated exposure : Not classified CITRIC ACID ANHYDROUS POWDER (77-92-9) LOAEL (oral, rat, 90 days) 8000 mg/kg bodyweight Animal: rat NOAEL (oral, rat, 90 days) 4000 mg/kg bodyweight Animal: rat NOAEL (oral, rat, 90 days) 4000 mg/kg bodyweight Animal: rat Aspiration hazard : Not classified SOLUCLEAN ALL PURPOSE CLEANER - MANGO & PEONY Viscosity, kinematic Not applicable	Respiratory or skin sensitisation	: Not classified
Reproductive toxicity       : Not classified         STOT-single exposure       : May cause respiratory irritation.         CITRIC ACID ANHYDROUS POWDER (77-92-9)         STOT-single exposure       May cause respiratory irritation.         STOT-repeated exposure       : Not classified         CITRIC ACID ANHYDROUS POWDER (77-92-9)         LOAEL (oral, rat, 90 days)       8000 mg/kg bodyweight Animal: rat         NOAEL (oral, rat, 90 days)       4000 mg/kg bodyweight Animal: rat         Aspiration hazard       : Not classified         SOLUCLEAN ALL PURPOSE CLEANER - MANGO & PEONY         Viscosity, kinematic       Not applicable	• •	
STOT-single exposure       May cause respiratory irritation.         CITRIC ACID ANHYDROUS POWDER (77-92-9)         STOT-single exposure       May cause respiratory irritation.         STOT-repeated exposure       Not classified         CITRIC ACID ANHYDROUS POWDER (77-92-9)         LOAEL (oral, rat, 90 days)       8000 mg/kg bodyweight Animal: rat         NOAEL (oral, rat, 90 days)       4000 mg/kg bodyweight Animal: rat         Aspiration hazard       : Not classified         SOLUCLEAN ALL PURPOSE CLEANER - MANGO & PEONY         Viscosity, kinematic       Not applicable		
CITRIC ACID ANHYDROUS POWDER (77-92-9)         STOT-single exposure       May cause respiratory irritation.         STOT-repeated exposure       : Not classified         CITRIC ACID ANHYDROUS POWDER (77-92-9)         LOAEL (oral, rat, 90 days)       8000 mg/kg bodyweight Animal: rat         NOAEL (oral, rat, 90 days)       4000 mg/kg bodyweight Animal: rat         Aspiration hazard       : Not classified         SOLUCLEAN ALL PURPOSE CLEANER - MANGO & PEONY         Viscosity, kinematic       Not applicable         SODIUM CARBONATE (497-19-8)	-	
STOT-repeated exposure       : Not classified         CITRIC ACID ANHYDROUS POWDER (77-92-9)         LOAEL (oral, rat, 90 days)       8000 mg/kg bodyweight Animal: rat         NOAEL (oral, rat, 90 days)       4000 mg/kg bodyweight Animal: rat         Aspiration hazard       : Not classified         SOLUCLEAN ALL PURPOSE CLEANER - MANGO & PEONY         Viscosity, kinematic       Not applicable         SODIUM CARBONATE (497-19-8)	• ·	
CITRIC ACID ANHYDROUS POWDER (77-92-9)         LOAEL (oral, rat, 90 days)       8000 mg/kg bodyweight Animal: rat         NOAEL (oral, rat, 90 days)       4000 mg/kg bodyweight Animal: rat         Aspiration hazard       Not classified         SOLUCLEAN ALL PURPOSE CLEANER - MANGO & PEONY         Viscosity, kinematic       Not applicable         SODIUM CARBONATE (497-19-8)	STOT-single exposure	May cause respiratory irritation.
LOAEL (oral, rat, 90 days)       8000 mg/kg bodyweight Animal: rat         NOAEL (oral, rat, 90 days)       4000 mg/kg bodyweight Animal: rat         Aspiration hazard       : Not classified         SOLUCLEAN ALL PURPOSE CLEANER - MANGO & PEONY         Viscosity, kinematic       Not applicable         SODIUM CARBONATE (497-19-8)		
NOAEL (oral, rat, 90 days)     4000 mg/kg bodyweight Animal: rat       Aspiration hazard     : Not classified       SOLUCLEAN ALL PURPOSE CLEANER - MANGO & PEONY       Viscosity, kinematic     Not applicable       SODIUM CARBONATE (497-19-8)	· · ·	
Aspiration hazard : Not classified SOLUCLEAN ALL PURPOSE CLEANER - MANGO & PEONY Viscosity, kinematic Not applicable SODIUM CARBONATE (497-19-8)	LOAEL (oral, rat, 90 days)	8000 mg/kg bodyweight Animal: rat
SOLUCLEAN ALL PURPOSE CLEANER - MANGO & PEONY         Viscosity, kinematic       Not applicable         SODIUM CARBONATE (497-19-8)	NOAEL (oral, rat, 90 days)	4000 mg/kg bodyweight Animal: rat
Viscosity, kinematic Not applicable SODIUM CARBONATE (497-19-8)	Aspiration hazard	: Not classified
SODIUM CARBONATE (497-19-8)	SOLUCLEAN ALL PURPOSE CLEANER	R - MANGO & PEONY
	Viscosity, kinematic	Not applicable
Viscosity, kinematic Not applicable	SODIUM CARBONATE (497-19-8)	
	Viscosity, kinematic	Not applicable

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

according to the REACH Regulation (EC) 1907/2006 amend	ed by Regulation (EU) 2020/878
REACTION PRODUCT OF BENZENESULFO METHYL- AND SODIUM HYDROXIDE (-	ONIC ACID, 4-C10-13-SEC-ALKYL DERIVS. AND BENZENESULFONIC ACID, 4-
Viscosity, kinematic	Not applicable
CITRIC ACID ANHYDROUS POWDER (77-92	2-9)
Viscosity, kinematic	Not applicable
11.2. Information on other hazards	
No additional information available	
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse
Hazardous to the aquatic environment, short-term	effects in the environment. : Not classified (Not available)
(acute)	
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Not available)
SODIUM CARBONATE (497-19-8)	
LC50 - Fish [1]	300 mg/l Test organisms (species): Lepomis macrochirus
EC50 - Crustacea [1]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.
EC50 - Crustacea [2]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.
REACTION PRODUCT OF BENZENESULFO METHYL- AND SODIUM HYDROXIDE (-)	ONIC ACID, 4-C10-13-SEC-ALKYL DERIVS. AND BENZENESULFONIC ACID, 4-
LC50 - Fish [1]	5.5 mg/l
EC50 - Crustacea [1]	8.8 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	25 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	72 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	1.18 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0.23 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '72 d'
12.2. Persistence and degradability	
SOLUCLEAN ALL PURPOSE CLEANER - M	ANGO & PEONY
Persistence and degradability	Not rapidly degradable
SODIUM CARBONATE (497-19-8)	
Persistence and degradability	Not rapidly degradable
REACTION PRODUCT OF BENZENESULFO METHYL- AND SODIUM HYDROXIDE (-)	NIC ACID, 4-C10-13-SEC-ALKYL DERIVS. AND BENZENESULFONIC ACID, 4-
Persistence and degradability	Rapidly degradable
CITRIC ACID ANHYDROUS POWDER (77-92	2-9)
Dereistance and degradability	Nat rapidly degradable

Persistence and degradability

Not rapidly degradable

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ETHOXYLATED ALCOHOL (Proprietary)		
Persistence and degradability	Not rapidly degradable	
12.3. Bioaccumulative potential		
No additional information available		
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		
12.7. Other adverse effects		
No additional information available		

# 13.1. Waste treatment methods

**SECTION 13: Disposal considerations** 

Regional waste regulation	: Dispose of in accordance with relevant local regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.

## **SECTION 14: Transport information**

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			I
Not regulated for transport				
14.2. UN proper shippin	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard o	class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group			-	
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental haz	ards			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information	n available			

Overland transport Not regulated

Transport by sea

Not regulated

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## Air transport

Not regulated

#### Inland waterway transport Not regulated

-

## Rail transport Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

## **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

## **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

## **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

## Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

## **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

## Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

**15.2. Chemical safety assessment** 

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H315	Causes skin irritation.
H318	Causes serious eye damage.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.